



**CHATSUBU™**  
[ TECH SPECS / COLORS ]





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** BLACK  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1 " OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



[ TRÚ BLÁC ] BLACK

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** BROWN  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1 " OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



[ BRØN ] BROWN

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** GREY  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1 " OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



[ GRÆY ] GREY

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** LIFE TREE (AGED)  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1 " OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



## [ LIFE TREE ] LIFE TREE

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** GREEN (CUSTOM)  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1 " OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



[ LG ] LIZ GREEN

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** MUD  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1 " OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



[ MUD ] MUD

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718




## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** RED  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK



[ RĒD ] RED

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1" OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** GREEN  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILABLE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1 " OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



[ SÅJ GRËN ] GREEN

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.





**CRUCIBLE**  
UNITED BY DESIGN

INFO@CRUCIBLE.COOP  
406.414.0343

100 CONTRACTOR DR  
BOZEMAN, MT 59718



## [ TECH SPECS / COLORS ]

**INTERIOR APPLICATION:** AVAILABLE  
**EXTERIOR APPLICATION:** AVAILABLE  
**BURN:** TRU BURN  
**BRUSH:** 2 PASS  
**COLOR:** WHITE  
**FINISH:** INTERIOR OR EXTERIOR

**BACKSPRAY (360 COVER):** AVAILBALE  
**FLAME RETARDANT:** AVAILABLE  
**OVERAGE RECOMMENDED:** 15 - 20%  
**INSTALL LAYOUTS:** VERTICLE  
 HORIZONTAL  
 ALL PROFILES

**WOOD TYPES:** THERMALLY  
 CEDAR  
 FIR  
 RECYCLED  
 OAK

**SEAL CUTS:** RECOMMENDED FOR WARRANTY

**PROFILES:** SHIPLAP, STRAIT, CHANNEL, T+G

**FASTENING (EXTERIOR):** RIM-SHANK FACE NAILS OR SCREWS WITHIN 1" OF EDGE  
**SUBSTRATE (EXTERIOR):** FURRING MAXIMUM OF 16" ON - CENTER  
**FASTENING (INTERIOR):** ADHESIVE GLUE W/ PIN OR TRIM NAILS  
**SUBSTRATE (INTERIOR):** REFER TO ARCHITECTURAL DRAWING SPECIFICATIONS



[ WÎT ] WHITE

REFINISHING COLORS EVERY 2 - 10 YEARS WILL SLOW DOWN THE PATINA / AGING PROCESS AND ALLOW THE PRODUCT TO RETAIN THE COLOR LONGER. OUR PRODUCT IS A MAINTENANCE - OPTIONAL PRODUCT DUE TO OUR HEAT TREATMENT. WE SUPPLY TOUCH UP FOR SEAL CUTS, NOTCHES FOR EVERY ORDER.

MINIMUM ORDER OF 200 SQUARE FEET, IF OVERAGE NOT FIGURED INTO ORDERS AND MORE MATERIAL IS NEEDED, THERE WILL BE AN ADDITIONAL SET UP FEE FOR ADDITIONAL ORDERS OF SAME MATERIALS.