



CHATSUBU™
[TECH SPECS / WOOD SPECIES]



CRUCIBLE
UNITED BY DESIGN

INFO@CRUCIBLE.COOP
406.414.0343


100 CONTRACTOR DR
BOZEMAN, MT 59718



CHATSUBU

[TECH SPECS / WOOD SPECIES]

WOOD TYPE:	CEDAR
BURN:	ALL AVAILABLE
BRUSH:	ALL AVAILABLE
COLORS:	ALL AVAILABLE
FINISHES:	INTERIOR OR EXTERIOR
OVERAGE RECOMMENDED:	15 - 20%
INSTALL LAYOUTS:	VERTICLE HORIZONTAL ALL PROFILES
PROFILES:	SHIPLAP STRAIT CHANNEL T+G CUSTOM AVAILABLE
INTERIOR APPLICATIONS:	WALLS, CEILINGS, TRIMS +
EXTERIOR APPLICATIONS:	SIDING, SOFFIT, FACIA, TRIM, FENCING, +



[SĚ'DƏR] CEDAR

SUSTAINABLY SOURCED, DURABLE, AND SUITED FOR BOTH EXTERIOR AND INTERIOR APPLICATIONS. THE MATERIAL CAN BE LEFT UNFINISHED OR CAN HAVE EXTERIOR - INTERIOR FINISH APPLIED. ALL CHATSUBU MATERIALS WILL PATINA WITH TIME BUT CAN WITHSTAND WEATHER WITH OUR HEAT TREATMENT.

GRAIN IS GENERALLY STRAIGHT, OR SLIGHTLY WAVY, MEDIUM TO COARSE TEXTURE.

COLOR TONES MAY RANGE WIDELY FROM LIGHT TO DARK DEPENDING UPON CHOOSEN FINISHES.



CRUCIBLE
UNITED BY DESIGN

INFO@CRUCIBLE.COOP
406.414.0343

100 CONTRACTOR DR
BOZEMAN, MT 59718



CHATSUBU

[TECH SPECS / WOOD SPECIES]

WOOD TYPE:	DOUG FIR
BURN:	ALL AVAILABLE
BRUSH:	ALL AVAILABLE
COLORS:	ALL AVAILABLE
FINISHES:	INTERIOR OR EXTERIOR
OVERAGE RECOMMENDED:	15 - 20%
INSTALL LAYOUTS:	VERTICLE HORIZONTAL ALL PROFILES
PROFILES:	SHIPLAP STRAIT CHANNEL T+G CUSTOM AVAILABLE
INTERIOR APPLICATIONS:	WALLS, CEILINGS, TRIMS +
EXTERIOR APPLICATIONS:	SIDING, SOFFIT, FACIA, TRIM, FENCING, +



[**FIR**] DOUG FIR

SUSTAINABLY SOURCED, DURABLE, AND SUITED FOR BOTH EXTERIOR AND INTERIOR APPLICATIONS. THE MATERIAL CAN BE LEFT UNFINISHED OR CAN HAVE EXTERIOR - INTERIOR FINISH APPLIED. ALL CHATSUBU MATERIALS WILL PATINA WITH TIME BUT CAN WITHSTAND WEATHER WITH OUR HEAT TREATMENT.

GRAIN IS GENERALLY STRAIGHT, OR SLIGHTLY WAVY, MEDIUM TO COARSE TEXTURE.

COLOR TONES MAY RANGE WIDELY FROM LIGHT TO DARK DEPENDING UPON CHOOSEN FINISHES.



CRUCIBLE
UNITED BY DESIGN

INFO@CRUCIBLE.COOP
406.414.0343

100 CONTRACTOR DR
BOZEMAN, MT 59718



CHATSUBU

[TECH SPECS / WOOD SPECIES]

WOOD TYPE:	THERMALLY (PINE)
BURN:	ALL AVAILABLE
BRUSH:	ALL AVAILABLE
COLORS:	ALL AVAILABLE
FINISHES:	INTERIOR OR EXTERIOR
OVERAGE RECOMMENDED:	15 - 20%
INSTALL LAYOUTS:	VERTICLE HORIZONTAL ALL PROFILES
PROFILES:	SHIPLAP STRAIT CHANNEL T+G CUSTOM AVAILABLE



[T. MØD] THERMALLY

INTERIOR APPLICATIONS:	WALLS, CEILINGS, TRIMS +
EXTERIOR APPLICATIONS:	SIDING, SOFFIT, FACIA, TRIM, FENCING, +
THERMALLY INFO:	INCREASED DURABILITY UP TO 75%, IMPROVED STABILITY, ROT RESISTANT, MOLD RESISTANT, LESS MOISTURE, ENVIRONMENTALLY FRIENDLY

SUSTAINABLY SOURCED, DURABLE, AND SUITED FOR BOTH EXTERIOR AND INTERIOR APPLICATIONS. THE MATERIAL CAN BE LEFT UNFINISHED OR CAN HAVE EXTERIOR - INTERIOR FINISH APPLIED. ALL CHATSUBU MATERIALS WILL PATINA WITH TIME BUT CAN WITHSTAND WEATHER WITH OUR HEAT TREATMENT.

(T. MOD) WOOD IS HEATED IN A OXYGEN-DEPLETED ROOM WITH NO CHEMICALS. THIS CHANGES THE STRUCTURE OF THE WOOD AND EXTENDS THE LIFESPAN.

COLOR TONES MAY RANGE WIDELY FROM LIGHT TO DARK DEPENDING UPON CHOOSEN FINISHES.



[WOOD TYPES] THERMALLY MODIFIED

THERMAL MODIFIED WOOD IS HEATED IN A OXYGEN-DEPLETED ROOM WITH NO CHEMICALS. THIS CHANGES THE STRUCTURE OF THE WOOD AND EXTENDS ITS LIFESPAN



- INCREASED DURABILITY UP TO 75%
- IMPROVED STABILITY
- ROT RESISTANT
- MOLD RESISTANT
- LESS MOISTURE
- LIGHTER WEIGHT
- ENVIRONMENTALLY FRIENDLY

LITTLE HISTORY.

VIKINGS SCORCHED THE HULLS OF SHIPS HUNDREDS OF YEARS AGO. NATIVE AMERICANS USED FIRE TO HARDEN AND CURE ARROWS AND THE JAPANESE CREATED SHOU SUGI BAN. WITH CURRENT TECHNOLOGY, BEFORE THE BURN PROCESS, WOOD IS THERMALLY TREATED WITH A CONTROLLED MODIFIED SYSTEM.





CRUCIBLE
UNITED BY DESIGN

INFO@CRUCIBLE.COOP
406.414.0343

100 CONTRACTOR DR
BOZEMAN, MT 59718



CHATSUBU

[TECH SPECS / WOOD SPECIES]

WOOD TYPE: CORRAL BOARD
RECLAIMED


BURN: ALL AVAILABLE
BRUSH: ALL AVAILABLE
COLORS: ALL AVAILABLE

FINISHES: INTERIOR OR
EXTERIOR

OVERAGE RECOMMENDED: 15 - 20%

INSTALL LAYOUTS: VERTICLE
HORIZONTAL
ALL PROFILES

PROFILES: SHIPLAP
STRAIT
CHANNEL
T+G
CUSTOM AVAILABLE



[KƏ-RÄL] RECLAIMED

INTERIOR APPLICATIONS: WALLS, CEILINGS, TRIMS +
EXTERIOR APPLICATIONS: SIDING, SOFFIT, FACIA, TRIM, FENCING, +

SUSTAINABLY SOURCED, DURABLE, AND SUITED FOR BOTH EXTERIOR AND INTERIOR APPLICATIONS. THE MATERIAL CAN BE LEFT UNFINISHED OR CAN HAVE EXTERIOR - INTERIOR FINISH APPLIED. ALL CHATSUBU MATERIALS WILL PATINA WITH TIME BUT CAN WITHSTAND WEATHER WITH OUR HEAT TREATMENT.

VARIES BY SOURCE, AUTHENTIC RECLAIMED MATERIALS, HARVESTED

COLOR TONES MAY RANGE WIDELY FROM LIGHT TO DARK DEPENDING UPON CHOOSSEN FINISHES.



CRUCIBLE
UNITED BY DESIGN

INFO@CRUCIBLE.COOP
406.414.0343

100 CONTRACTOR DR
BOZEMAN, MT 59718



CHATSUBU

[TECH SPECS / WOOD SPECIES]

WOOD TYPE:

PLAIN OAK

BURN:

ALL AVAILABLE

BRUSH:

ALL AVAILABLE

COLORS:

ALL AVAILABLE

FINISHES:

INTERIOR

OVERAGE RECOMMENDED:

15 - 20%

INSTALL LAYOUTS:

VERTICLE
HORIZONTAL
ALL PROFILES

PROFILES:

STRAIT
SKINS
CUSTOM AVAILABLE



[PLÆN] OAK PLAIN

INTERIOR APPLICATIONS:

EXTERIOR APPLICATIONS:

WALLS, CEILINGS, TRIMS, CUSTOM FURNITURE +
N/A

SUSTAINABLY SOURCED, DURABLE, AND SUITED FOR INTERIOR ONLY. THE MATERIAL CAN BE LEFT UNFINISHED OR HAVE A INTERIOR GRADE FINISH APPLIED.

PLAIN SAWN OAK OR ALSO KNOWN AS FLAT SAWN DISPLAYS A CATHEDRAL PATTERN ON FACE OF THE BOARD.



CRUCIBLE
UNITED BY DESIGN

INFO@CRUCIBLE.COOP
406.414.0343

100 CONTRACTOR DR
BOZEMAN, MT 59718



CHATSUBU

[TECH SPECS / WOOD SPECIES]

WOOD TYPE:

RIFT OAK

BURN:

ALL AVAILABLE

BRUSH:

ALL AVAILABLE

COLORS:

ALL AVAILABLE

FINISHES:

INTERIOR

OVERAGE RECOMMENDED:

15 - 20%

INSTALL LAYOUTS:

VERTICLE
HORIZONTAL
ALL PROFILES

PROFILES:

STRAIT
SKINS
CUSTOM AVAILABLE

INTERIOR APPLICATIONS:

EXTERIOR APPLICATIONS:

WALLS, CEILINGS, TRIMS, CUSTOM FURNITURE +
N/A



[RIFT] OAK RIFT

SUSTAINABLY SOURCED, DURABLE, AND SUITED FOR INTERIOR ONLY. THE MATERIAL CAN BE LEFT UNFINISHED OR HAVE A INTERIOR GRADE FINISH APPLIED.

RIFT OAK HAS A LINEAR GRAIN AND IS VERY STABLE.



CRUCIBLE
UNITED BY DESIGN

INFO@CRUCIBLE.COOP
406.414.0343

100 CONTRACTOR DR
BOZEMAN, MT 59718



CHATSUBU

[TECH SPECS / WOOD SPECIES]

WOOD TYPE: BAMBOO


BURN: ALL AVAILABLE
BRUSH: ALL AVAILABLE
COLORS: ALL AVAILABLE

FINISHES: INTERIOR

OVERAGE RECOMMENDED: 15 - 20%

INSTALL LAYOUTS: VERTICLE
HORIZONTAL
ALL PROFILES

PROFILES: STRAIT
SHEETS
CUSTOM AVAILABLE



[**BÄM-BØ'**] BAMBOO

INTERIOR APPLICATIONS: WALLS, CEILINGS, TRIMS, CUSTOM FURNITURE +
EXTERIOR APPLICATIONS: N/A

SUSTAINABLY SOURCED, DURABLE, AND SUITED FOR INTERIOR ONLY. THE MATERIAL CAN BE LEFT UNFINISHED OR HAVE A INTERIOR GRADE FINISH APPLIED.

GENERALLY BAMBOO HAS A UNIFORM PALE YELLOW OR WHITE COLOR TONE BEFORE BURN. BAMBOO DOES NOT HAVE ANY GROWTH RINGS. THE TEXTURE IS VERY UNIFORM, AND RANGES BETWEEN TO FINE DEPENDING ON DENSITY.
